

Quarto Title for the *APSR*

AUTHOR ONE *An Organization*

AUTHOR TWO *Affiliation B*

AUTHOR THREE *A Third Organization*

This document is a template demonstrating the APSR format. Make sure it is long enough to work with the automatic dropcap. That means you need at least three lines worth of text. That is a lot of text for this example, but the APSR allows 150 words in the abstract at the time of writing this example.

Word Count: 771

INTRODUCTION

Thanks for using Quarto to write your article. This Quarto template is unofficial and based on Overleaf's APSR template. Your introduction goes here! Do make sure the first paragraph here is at least three lines long, to accommodate the dropped-cap. Some examples of commonly used commands and features are listed below, to help you get started.

Since we are in Quarto, you can cite with an @ symbol, like [Knuth and Bibby \(1984\)](#). As seen below, you can mix markdown and Latex with

Author One is PhD Candidate, ABC Department, Affiliation A, 12345 NY. (a.1@example.edu)

Author Two is Assistant Professor, Faculty of Z, Affiliation B, 42813. Corresponding Author (a.2@acme.edu) Additional notes about Author Two.

Author Three is ...

This is a manuscript submitted for review.

each other, though it's likely best to mostly use markdown.

Use section (#) and subsection (##) commands to organize your document. \LaTeX and Quarto handle all the formatting and numbering automatically.


Use the @ commands for cross-references.

WORD COUNT

This template uses a wordcount lua filter from <https://github.com/christopherkenny/wordcount>.

To include the word count including references, set `word-count: {{wordcountref}}`. To remove references from the word count, set `word-count: {{wordcount}}`.

Finally, you can also create figures using R in general, like in Figure 3:



Notes can be added to the bottom of figures and tables in LaTeX using the `\floatnote` command.

Tables can also be made using common table-making packages, like `kableExtra`, as in Table 3.

Though formatting may be more finicky. There is not currently a way to change the underlying environment to a `table*` environment within Quarto for these types of chunks.

For wide, double-column figures and tables, use the `figure*` (Figure 4) or `table*` (Table 2) starred environments. Landscaped figures and tables can be obtained using the `sidewaysfigure` and `sidewaysfigure` commands from the `rotating` package. Alternatively, you can use the `landscape` environment from the `pdflscape` package.

Multi-page tables can be created using the `longtable` and `supertabular` packages, though note that `longtables` cannot be used in two-column documents.¹

Currently `table`, `table*`, `figure`, `figure*`, `longtable`, `supertabular`, `sidewaystable` and `sidewaysfigure` will be automatically framed.

If you are using a custom figure or table environment from a package (e.g.~a `MyFigure` environment) and it's not getting framed, add `\makeframedenv{MyFigure}` in the preamble.

Lists and Quotations

You can make lists with automatic numbering . . .

1. Like this,
2. and like this.

. . . or bullet points . . .

- Like this,
- and like this.

An example long quotation:

This is a sample quotation text. This

¹This is an example footnote.

Table 2. Automobile Land Speed Records (GR 5-10).

Speed (mph)	Driver	Car	Engine	Date
407.447	Craig Breedlove	Spirit of America	GE J47	8/5/63
413.199	Tom Green	Wingfoot Express	WE J46	10/2/64
434.22	Art Arfons	Green Monster	GE J79	10/5/64
468.719	Craig Breedlove	Spirit of America	GE J79	10/13/64
526.277	Craig Breedlove	Spirit of America	GE J79	10/15/65
536.712	Art Arfons	Green Monster	GE J79	10/27/65
555.127	Craig Breedlove	Spirit of America, Sonic 1	GE J79	11/2/65
576.553	Art Arfons	Green Monster	GE J79	11/7/65
600.601	Craig Breedlove	Spirit of America, Sonic 1	GE J79	11/15/65
622.407	Gary Gabelich	Blue Flame	Rocket	10/23/70
633.468	Richard Noble	Thrust 2	RR RG 146	10/4/83
763.035	Andy Green	Thrust SSC	RR Spey	10/15/97

Note: https://www.sedl.org/afterschool/toolkits/science/pdf/ast_sci_data_tables_sample.pdf

Table 3. Example R table.

	mpg	cyl	disp
Mazda RX4	21.0	6	160
Mazda RX4 Wag	21.0	6	160
Datsun 710	22.8	4	108
Hornet 4 Drive	21.4	6	258
Hornet Sportabout	18.7	8	360
Valiant	18.1	6	225

is a sample quotation text. This is a
sample quotation text.

CITATIONS

Quarto formats citations and references automatically using the bibliography records in your .bib file. For a citation in parentheses use (Greenwade 1993) and for a text citation: Greenwade (1993). Multiple citations can be given as (Greenwade 1993; Knuth and Bibby 1984). Drop the author

like so (1993).

If your manuscript is accepted, the APSR production team will re-format the references for publication. *It is not necessary to format the reference list yourself to mirror the final published form.*

MATHEMATICS

Let X_1, X_2, \dots, X_n be a sequence of independent and identically distributed random variables with $E[X_i] = \mu$ and $\text{Var}[X_i] = \sigma^2 < \infty$, and let

$$S_n = \frac{X_1 + X_2 + \dots + X_n}{n} = \frac{1}{n} \sum_i^n X_i \quad (1)$$

denote their mean. Then as n approaches infinity, the random variables $\sqrt{n}(S_n - \mu)$ converge in distribution to a normal $\mathcal{N}(0, \sigma^2)$.

WIDE FIGURES

To include the widest of figures, set the `fig-env` to `figure*` in a Quarto chunk, just as you would set the environment to `figure*` in LaTeX. For some figures, you may also need to tell it to have `out-width: 100%` if the figure is naturally smaller than the width of the page.

Finally, you can include tex tables from other files as usual. This can make use of `input`, though you may also find use for shortcodes from Quarto. Built in shortcodes are listed [here](#).

Table 4. Panel Linear Model of the Full Sample of Data to Show Long Tables

	<i>Dependent variable: $\log(\text{DependentVariable}_{t-1} + 1)$</i>			
	(1)	(2)	(3)	(4)
Variable q	-0.512 (0.510)	-0.674 (0.525)	-0.421 (0.517)	-0.374 (0.537)
Variable 2	1.108*** (0.288)	0.798*** (0.283)	0.784*** (0.275)	0.703** (0.288)
Variable 3	0.200 (0.138)	0.202 (0.139)	0.304** (0.139)	0.285** (0.138)
Variable 4		-0.766*** (0.254)	-1.036*** (0.255)	-0.982*** (0.251)
Variable 5		0.120 (0.127)	0.232* (0.134)	0.260* (0.138)
Variable 6		0.341*** (0.071)	0.395*** (0.072)	0.357*** (0.072)
Variable 7			0.232*** (0.034)	0.189*** (0.036)
Variable 8			0.253*** (0.037)	0.206*** (0.042)
Variable 9			0.060*** (0.008)	0.051*** (0.009)
Variable 10			-0.018*** (0.007)	-0.012* (0.007)
Variable 11				0.329*** (0.125)
Variable 12				-0.320*** (0.062)
Variable 13				-0.124*** (0.031)
Variable 14				-0.060 (0.057)
Variable 15				-0.340*** (0.055)
Variable 16				-0.123*** (0.033)
Variable 17	0.0002 (0.001)	0.001 (0.001)	-0.001 (0.001)	-0.0003 (0.001)
Variable 18	0.006*** (0.001)	0.005*** (0.001)	0.012*** (0.001)	0.011*** (0.001)
Variable 19	-0.129*** (0.032)	-0.123*** (0.032)	-0.039 (0.034)	-0.036 (0.036)
Variable 20	0.629*** (0.010)	0.624*** (0.010)	0.598*** (0.010)	0.618*** (0.011)
Constant	0.275*** (0.056)	0.946*** (0.298)	-2.334*** (0.439)	-1.017** (0.475)
Obs.	32,658	32,658	32,658	28,200
Adj. R ²	0.371	0.374	0.389	0.429
F Stat.	2,756.800***	1,949.369***	1,485.940***	1,058.683***
Note:	* p<0.1; ** p<0.05; *** p<0.01			

Figure 4. A wide figure



16 × 9
(Original size: 320×180 bp)

Note: This is a wide figure.

